

ROCKY FLATS PLANT EMD OPERATING PROCEDURES MANUAL **VOLUME III: GEOTECHNICAL** Manual No.: Procedure No.:

Page: **Effective Date:**

Organization:

5-21000-OPS-GT

Table of Contents, Rev 58

1 of 3 05/06/94

Environmental Management

THIS IS ONE VOLUME OF A SIX VOLUME SET WHICH INCLUDES:

VOLUME I: FIELD OPERATIONS (FO) VOLUME II: GROUNDWATER (GW) VOLUME III: GEOTECHNICAL (GT) VOLUME IV: SURFACE WATER (SW) VOLUME V: ECOLOGY (EE) **VOLUME VI: AIR (AP)**

TABLE OF CONTENTS FOR VOLUME III: GEOTECHNICAL

Procedure No.	<u>Title</u>	Rev. Effecti No. <u>Date</u>	
GT.01	Logging Alluvial and Bedrock Material	2	05/12/92
DCN 93.03 DCN 93.04 DCN 93.05 DCN 93.06	Core Log QC Change Lithologic Descriptions Logging with Well Points SVE Core Description	2 2 2 2	06/18/93 07/15/93 07/28/93 08/20/93
GT.02	Drilling and Sampling Using Hollow Stem Auger Techniques	2	05/12/92
DCN 92.04	Prevention of Down Hole Contamination EXTENDED	2	7/28/93
93-DMR-000955	Form GT.2A Modification	2	01/10/94
93-DMR-000960	QC Sample Collection Modification	2	01/10/94
94-DMR-000382	Approval Process and Sampling Collection Modification	2	03/28/94
94-DMR-000405	Sample Liner Taping Changes	2	03/28/94

DOCUMENT CLASSIFICATION REVIEW WAIVER PER R.B. HOFFMAN, CLASSIFICATION OFFICE JUNE 11, 1991

ROCKY FLATS PLANT
EMD OPERATING
PROCEDURES MANUAL
VOLUME III: GEOTECHNICAL

Manual No.: Procedure No.: Page: Effective Date: 5-21000-OPS-GT Table of Contents, Rev 58

2 of 3 05/06/94

Organization: Environmental Management

Procedure No.	Title Rev.		Effective <u>Date</u>
GT.03	Isolating Bedrock from Alluvium with Grouted Surface Casing	2	05/12/92
93-DMR-000956 94-DMR-000418	Form GT.3A Modification Advanced Notification to the State of Colorado	2 2	01/10/94 04/22/94
GT.04	Rotary Drilling and Rock Coring	2	05/12/92
93-DMR-000957 94-DMR-000419			
GT.05	Plugging and Abandonment of Boreholes	2	05/12/92
93-DMR-000961	Form GT.5A Modification	2	01/10/94
GT.06	Monitoring Wells and Piezometer Installation	2	05/12/92
DCN 93.08 DCN 93.09 DCN 93.10 DCN 93.11 DCN 93.12 DCN 93.13 DCN 93.14	CN 93.09 Change to PVC Casing Thickness CN 93.10 SVE Bentonite Chips CN 93.11 SVE Well Specifications CN 93.12 Riser Installation CN 93.13 Cancel DCN 93.11, Item #1 for OU 2 SVE Study		05/10/93 05/11/93 08/20/93 08/20/93 09/02/93 10/06/93 10/06/93
GT.07	Logging and Sampling of Test Pits and Trenches	2	05/12/92
94-DMR-000276	Section GT.07 and form Modifications	2	02/28/94
GT.08	4-E42-ER-OPS-GT.08 Surface Soil Sampling	3	01/25/94
94-DMR-000133 94-DMR-000229	Sampling Modifications Editorial Correction GT.08	3 3	02/04/94 03/14/94
GT.09	Soil Gas Sampling and Field Analysis	2	05/12/92
94-DMR-000431	Calibration Occurrence Clarification	2	04/11/94
GT.10	Borehole Clearing	2	05/12/92

ROCKY FLATS PLANT
EMD OPERATING
PROCEDURES MANUAL
VOLUME III: GEOTECHNICAL

Manual No.: Procedure No.: Page:

Effective Date: Organization:

5-21000-OPS-GT Table of Contents, Rev 58 3 of 3 05/06/94

Environmental Management

Procedure <u>No.</u>	<u>Title</u>	Rev. <u>No.</u>	Effective <u>Date</u>		
GT.11	Plugging and Abandonment of Wells	2	05/12/92		
93-DMR-000962 •94-DMR-000561	Form GT.11A Modification Section 11 Modification	2 2	01/10/94 05/06/94		
GT.15	Geophysical Borehole Logging	2	05/12/92		
GT.17	Land Surveying	2	05/12/92		
DCN 93.01 •94-DMR-000560	Land Surveying Clarification Text Modification	2 2			
GT.18	Surface Geophysical Surveys	2	05/12/92		
DCN 93.02	5.5 Time Domain Electromagnetic Metal Detection	2	11/22/93		
GT.19	Field Gas Chromatographs	2	05/12/92		
GT.20	Procedures for Soil Interstitial Water Sampling and Sampler Installation	2	05/12/92		
94-DMR-000297	Section GT.20 and form Modifications	2	02/28/94		
GT.21	Cone Penetrometer Testing	1	05/12/92		
GT.24	Approval Process for Construction Activities on or Near Individual Hazardous Substance Sites (IHSSs)	0	05/12/92		

DOCUMENT MODIFICATION REQUEST (DMR)

Page 1 of 1

Refer to 1-A01-PPG-001 for Processing Instructions. Print or Type All Information (Except Signatures)			1. Date March 31, 1994	25. DMR. No. 94-DM	8-00561			
2. Existing Document Number/Revision 5-21000-OPS-GT.11/Rev2		3. New Document Number or Document Number if it is to be changed with this Revision NA						
4. Originator's Name/Phone/Page/Location J.A. Paschis/x8644/NA/080				5. Document Title Plugging and Abandonment of Wells				
6. Document Type ☑ Procedure ☐ Other ☐ New ☐ Revision ☒ Intent Chang			• • • • • • • • • • • • • • • • • • • •	Nonintent Change □ Editorial Correction □ Cancellation				
8. Item	9. Page	10. Step		<u>L </u>	11	. Proposed Modifications		
1	2	2.0	Add the foli	owing two paragraphs	at the end of Section	2.0:		
			This procedure also establishes the administrative requirements for incorporation of the State of Colorado, Department of Natural Resources, Office of the State Engineer, Division of Water Resources, Rules and Regulations, 2CCR 402-2 into well abandonment activities. Prior to beginning any plugging and abandonment procedures, the Project Manager shall notify Environmental Science and Engineering, Geosciences Division. This prior notification will allow for the final opportunity to perform any necessary sampling and/or hydrologic measurements.					
2	3	4.1		following reference to i	nclude the CCR num	ber:		
2			Colorado División of Water Resources, Board of Examiners of Water Well Construction and Pump Installation Contractors. Revised and Amended Rules and Regulations of the Board of Examiners of Water Well Construction and Pump Installation Contractors, 2008, 1988. 29pp.					
3	12A	9.0	Add the foll	owing paragraph at the	end of Section 9.0:			
			The Well/Borehole Abandonment Form No. (GT.5A, Rev. 3) and a State of Colorado, Well Abandonment Report (State of Colorado, Form No. GWS-9, 7/89) will be completed and provided to the ERM Geosciences Division. The Geosciences Division will submit the Form No. GWS-9 to DOE for review, approval, and transmittal to the State of Colorado, Division of Water Resources.					
4	12A	10.0	Add the following new section:					
			10.0 APPENDIX					
		Following well abandonment, the individual/company responsible for plugging the well will provide the information disclosed on the form in Appendix 1, as requested to comply with Section 9.0.						
			dification, EJO#					
				irements for well aban statute relative to well			•	
				cumentation and where				
					13, and enter N/A in Blocks	14 and 15. If modification is for a	my type of change or a cancellation,	organizations are listed in Block
13. Organi			in Block 14, and di Sign (if applicable					15. Date (if applicable)
SME Tim Loverth					4/8/44			
EQS Mark Brooks					4-28-94			
RI	RPM Wanda Busby \\\(\sigma \sigma \sigma \)			4/12/54/				
EC	EOM Maria Broussard Wilden number				4/15/94			
E:	ETT Gary Anderson Gard Anderson 29 A			29 KPR 94				
	PP	Steve Keith	X/	Record				4/18/94
16. Originator's Supervisor (print/sign/date) Stephen H. Singer A / 10 11 A / 1 S /								
Stephen H. Singer Stephen H. Singer 17/194 17. Assigned SME/Phone/Page/Location 18. Cost Center Tim Lovseth/8706/5134/080 18. Cost Center 0202 19. Charge Number ENV-GT 03/21/94 21. Effective Date 5. 6. 9.4 Win								
22. Accelerated Review? Yes □ No ☑ Not required; this nonintent change was processed as an intent change to expedite the DMR process.								
24. Responsible Manager (print, sign flate) Mark E. Levin 4/29/94 M.E. Levi								
				-t		В		CLASSIFICATION/UCNI
						DA		

PLUGGING AND ABANDONMENT OF WELLS

EG&G ROCKY FLATS PLANT EMD MANUAL OPERATION SOP

Manual: Procedure No.: 5-21000-OPS GT.11, Rev. 2

2 of 12 05/06/94

Page:

Effective Date:

Organization:

Environmental Management

Category 2

2.0 PURPOSE AND SCOPE

This standard operating procedure (SOP) describes procedures that will be used at the Rocky Flats Plant (RFP) to plug and abandon (P&A) wells. Plugging refers to the physical process of filling the well cavity with grout while abandonment refers to the completion and documentation of all requirements of this SOP. Abandonment involves plugging the well with grout and all related activities and documentation as described in this SOP. For the purpose of this SOP, a well is defined as a ground penetration intended for monitoring the chemical, physical or potentiometric properties of groundwater, a ground penetration intended for production of groundwater, or a ground penetration of unknown status. Abandonment of boreholes, which are defined as ground penetrations drilled primarily for obtaining geologic and environmental information, is addressed in SOP GT.5, Plugging and Abandonment of Boreholes.

This procedure also establishes the administrative requirements for incorporation of the State of Colorado, Department of Natural Resources, Office of the State Engineer, Division of Water Resources, Rules and Regulations, 2CCR 402-2 into well abandonment activities.

Prior to beginning any plugging and abandonment procedures, the Project Manager shall notify Environmental Science and Engineering, Geosciences Division. This prior notification will allow for the final opportunity to perform any necessary sampling and/or hydrologic measurements.

3.0 PERSONNEL QUALIFICATIONS

Personnel overseeing the abandonment of wells will be geologists, geotechnical engineers, or field technicians with an appropriate amount of applicable field experience or on-the-job training under the supervision of another qualified person.

PLUGGING AND ABANDONMENT OF WELLS

EG&G ROCKY FLATS PLANT EMD MANUAL OPERATION SOP

Manual:
Procedure No.:

5-21000-OPS GT.11, Rev. 2

Page:

Effective Date:

3 of 12 05/06/94

Category 2

Organization:

Environmental Management

4.0 REFERENCES

4.1 SOURCE REFERENCES

The following is a list of references reviewed prior to the writing of this procedure:

Aller, L., T.W. Bennett, G. Hackett, R.J. Petty, J.H. Lehr, H. Sedoris, D.M. Nielsen, and J.E. Denne. <u>Handbook of Suggested Practices for the Design and Installation of Ground Water Monitoring Wells</u>. EPA 600/4-89/034. National Water Well Association. 1989. 398 pp.

Colorado Division of Water Resources, Board of Examiners of Water Well Construction and Pump Installation Contractors. Revised and Amended Rules and Regulations of the Board of Examiners of Water Well Construction and Pump Installation Contractors, 2CCR 402-2. 1988. 29 pp.

U.S. Environmental Protection Agency. <u>RCRA Ground Water Monitoring Technical Enforcement Guidance Document</u>. Office of Solid Waste and Emergency Response. OSWER-9950.1. 1986. 317 pp.

U.S. Environmental Protection Agency. <u>Manual of Water Well Construction Practices</u>; <u>Office of Water Supply</u>. EPA-570/9-75-001. 1975. 156 pp.

4.2 INTERNAL REFERENCES

Related SOPs cross-referenced by this SOP are as follows:

- SOP FO.3, General Equipment Decontamination
- SOP FO.4, Heavy Equipment Decontamination
- SOP FO.6, Handling of Personal Protective Equipment

PLUGGING AND ABANDONMENT OF WELLS

EG&G ROCKY FLATS PLANT

EMD MANUAL OPERATION SOP

Procedure No.:
Page:
Effective Date:
Organization:

S-21000-OPS

GT.11, Rev. 2

Page:
12A of 12

Environmental Management

The Well/Borehole Abandonment Form No. (GT.5A, Rev. 3) and a State of Colorado, Well Abandonment Report (State of Colorado, Form No. GWS-9, 7/89) will be completed and provided to the ERM Geosciences Division. The Geosciences Division will submit the Form No. GWS-9 to DOE for review, approval, and transmittal to the State of Colorado, Division of Water Resources.

10.0 APPENDIX

Following well abandonment, the individual/company responsible for plugging the well will provide the information disclosed on the form in Appendix 1, as requested to comply with Section 9.